EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	((tuner or tuning) same select$4) and (((bit near error near rate) or ber) same (offset near frequency) same ((predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined)) near4 (limit or value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:42
S2	2	((tuner or tuning or tun$3) same (radio near frequency)) and (((bit near error near rate) or ber) same (offset near frequency) same ((predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined)) near4 (limit or value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:45
S3	4	((tuner or tuning or tun$3) same (radio near frequency)) and (((bit near error near rate) or ber) same ((predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined)) near4 (limit or value))) and (offset near frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:47
S4	3	((tuner or tuning or tun$3) same (radio near frequency)) and (((bit near error near rate) or ber) same ((predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined)) near4 (limit or value)) same offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:48
S5	13	((tuner or tuning or tun$3) same (radio near frequency)) and (((bit near error near rate) or ber) same ((predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) same offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:52
S6	193	(radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (offset near (frequency or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:56

EAST Search History

S7	71	(radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (offset near (frequency or value)) and (retun$3 or re-tun$3 or re adj tun$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:59
S8	182	(radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (offset near (frequency or value)) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:16
S9	68	(radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (offset near (frequency or value)) and (retun$3 or re-tun$3 or re adj tun$3) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:59
S10	1	10/749,473	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 19:03
S11	10449	dvb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:15

EAST Search History

S12	0	(radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (offset near (frequency or value)) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:17
S13	7	(radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:22
S14	59	(radio near frequency) and (((bit near error near rate) or ber) and (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb and satellit$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:26
S15	0	(radio near frequency) and (((bit near error near rate) or ber) and (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb and satellit$3 and gsm and dect and wlan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:31
S16	0	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb and satellit$3 and gsm and dect and wlan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:35

S17	0	(radio near frequency) and (((bit near error near rate) or ber) and (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb and satellit$3 and gsm and dect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:31
S18	13	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and gsm and dect and wlan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:53
S19	5	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and ((lnb or (low near noise near block)) with (down near convert$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:54
S20	1	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert$3)) same (multiband or programmabl$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:56
S21	1	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert$3)) same ((multi near band) or programmabl$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:57

S22	2	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert$3)) and ((multi near band) or programmabl$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 13:56
S23	2	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert$3)) and (((multi near band) or multiband or multi-band) or programmabl$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 13:56
S24	2	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert$3)) and (((multi near band) or multiband or multi-band) or programm$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 13:57
S25	3	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) same (down near convert$3)) and (((multi near band) or multiband or multi-band) or programm$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:00
S26	5	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) same (down near convert$3)) and (((multi near band) or multiband or multi-band) or programm$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:00

S27	6	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) same (down near convert$3)) and (((multi near band) or multiband or multi-band) or programm$4 or controll$4 or control$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:16
S28	14	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) same (down near convert$3)) and (((multi near band) or multiband or multi-band) or programm$4 or controll$4 or control$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:44
S29	9	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) same (down near convert$3)) same (((multi near band) or multiband or multi-band) or programm$4 or controll$4 or control$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:40
S30	5	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert$3)) with (((multi near band) or multiband or multi-band) or programm$4 or controll$4 or control$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:41
S31	3	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and ((lnb or (low near noise near block)) with (((multi near band) or multiband or multi-band) or programm$4 or control$4) with frequenc$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:57

EAST Search History

S32	13486	(((bit near error near rate) or ber) with limit) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:45
S33	382	(((bit near error near rate) or ber) near limit) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:45
S34	33	((((bit near error near rate) or ber) near limit) with (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:46